


This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
1	15-0188	-3 ADDED INSERT.	7/31/2015	RJC	JAG









				4		L			Z			
E		-	_	-	_	=	 -	_	_	-	 _	_

M/R BLADE LATCH BOLT TO "TT" STRAP NUT SOCKET TITLE

DWG NO.

RBT18583

REV

MAT'L

DRAWN BY:

CLOUGH

1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
2. DIMENSIONAL LIMITS APPLY AFTER PLATING SCALE


1:2

USED ON MODEL BELL 206 7/31/2015 SHEET 1 OF 3


ASSY QTY	ASSY QTY	В/О	Part #	UNIT	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
			-1	1	SOCKET	STEEL	1/2dr. 12pt. 1-1/4 DEEP IMPACT PROTO #J7340 (MOD.)	2
			-3	1	INSERT	BLACK DELRIN/NYLON		3


This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

	REVISIONS			
RE	DESCRIPTION	DATE	INITIAL	APPROVED













RED BARN MACHINE M/R BLADE LATCH BOLT TO "TT" STRAP NUT SOCKET TITLE DWG NO. REV RBT18583-1 DRAWN BY: CLOUGH MAT'L STEEL UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/32 FRACTIONS ± 1/32 FINISH .X ± .1 SPEC BLACK OXIDE 1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
2. DIMENSIONAL LIMITS APPLY AFTER PLATING USED ON MODEL BELL 206 SCALE DATE 7/22/2013 SHEET 2 OF 3 1:2

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

		revisions			
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
1	15-0188	-3 ADDED INSERT.	7/31/2015	RJC	JAG







M/R BLADE LATCH BOLT TO "TT" STRAP NUT SOCKET DWG NO. REV RBT18583-3 MAT'L BLACK DELRIN/NYLON DRAWN BY: CLOUGH 1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
2. DIMENSIONAL LIMITS APPLY AFTER PLATING USED ON MODEL BELL 206 SCALE 7/31/2015 SHEET 3 OF 3 1:1



INSERT